What is claimed is:

A grout composition that sets after being mixed with 1 water comprising: 2


the first for the form half first first first

4... min 4... min 4...

an anhydrous structural filler/that comprises between 10 and 90% by weight of the total grout composition; and

a moisture curable polymer. 5

- The grout composition ϕ f claim 1 which further 2. 1 comprises an effective amount of a retarding agent to provide 2 a retarding effect on the setting of the grout composition. 3
- The grout composition of claim 1 wherein the 3. 1 anhydrous filler comprises Portland cement. 2
- The grout composition of claim 3 wherein the 4. 1 Portland cement is rapid hardening Portland cement.
- The grout composition of claim 1 wherein the 5. 1 Portland cement comprises between 30 and 55% by weight of the total grout composition.
- The grout comp ϕ sition of claim 1 further comprising 6. 1 a color. 2
- The grout composition of claim 1 further comprising 7. 1 a stabilizer. 2
- The grout ϕ omposition of claim 1 further comprising 8. 1 a rheolgical agent. 2
- The grout composition of claim 1 further comprising 9. 1 a plasticizer. 2



Min die her her her

The state of the s

Ė

The grout composition of $c \not\!\!\!/ aim\ 1$ wherein the 10. 1 moisture curable polymer is selected from the group consisting 2 of polyacetoacetate, polyisocyanates and mixtures thereof. 3

A moisture curable grout/kit comprising:

a container comprising a moisture curable compound; and a contained comprising a structural filler.

The kit of claim 11 wherein the structural filler 12. further comprises moisture. 2

The kit of claim 11 turther comprising an effective 1 amount of a retarding agent $t\phi$ provide a retarding effect on 2 the setting of the grout composition. 3

The kit of claim 1/4 wherein the anhydrous filler 1 comprises Portland cement. 2

The kit of claim/11 wherein the structural filler is 1 rapid hardening Portland dement. 2

The kit of claim 11 wherein the Portland cement 16. 1 comprises between 30 and $\int 55\%$ by weight of the total grout 2 composition. 3

The kit of claim 11 further comprising a color. 17. 1

The kit of ϕ laim 11 further comprising a stabilizer. 18. 1

The kit of /claim 11 further comprising a rheolgical 19. 1 2 agent.

The kit ϕ f claim 11 further comprising a 20. 1 plasticizer. 2



21. The kit of claim 11 wherein the moisture curable polymer is selected from the group consisting of polyacetoacetate, polyisocyanates and mixtures thereof.

22. A method of filling a gap or crevice comprising:

01861-1001

At.

1

2

3

3

4

providing a moisture curable compound; and adding to the moisture curable compound a structural filler, wherein upon exposure to water, the moisture curable filler forms a polymeric matrix along with the structural

filler forms a polymeric matrix at filler to fill the gap or crevice.